

CASE STUDY: Wokingham Station

IMPROVING ACCESSIBILITY DURING GATELINE **ENABLING WORKS**


- **REQUIREMENT:** Temporary wheelchair access to the station while major improvement works were underway.
- ADDITIONAL INFORMATION: CAD and technical drawings were drawn Service Package: Rapid Rental up; based off measurements and photos taken by our site surveyor.

Drawings are designed to allow customers to visualise how a ramp would appear in situ.

Application: Commercial


Location: Wokingham, Berkshire


System: Standard Ramp System





TEL: 01424 714646 EMAIL: SALES@RAPIDRAMP.CO.UK WEBSITE: WWW.RAPIDRAMP.CO.UK





END RESULT: A yellow powder-coated Rapid Ramp was installed as shown.

FEATURES INCLUDED:

- Mesh Platform self-draining mesh allows water to pass through rather than collect on the surface.
- Trombone Ends these are added to the ends of a Rapid Ramp to prevent clothes catching.
- Telescopic Legs these can be adjusted to accommodate different threshold heights.
- Continuous handrail this handrail system ensures users always have support to hold onto.

EXTRA FEATURES INCLUDED:

- Step Unit an ideal addition to any ramp installation, providing the access needed for ablebodied users. They can also be stand-alone units, independent of the Rapid Ramp System.
- Yellow powder-coated finish Rapid Ramp comes in black as standard, but you can choose a colour to match your requirement, all we require is your RAL colour number.
- Lower Intermediate Handrail this is designed to be used by young children and wheelchair users.
- Yellow Tread this is a safety feature designed to help those with impaired vision identify the nose of the ramp. Additionally, it helps users to distinguish any level changes.




TEL: 01424 714646 EMAIL: SALES@RAPIDRAMP.CO.UK WEBSITE: WWW.RAPIDRAMP.CO.UK



ARE SECONDARY HANDRAILS A REQUIREMENT OF THE BUILDING REGULATIONS?

In Document M of the Building Regulations, it simply states 'if you provide a secondary (lower) handrail', meaning that the handrail system is not obligatory.

If the client requires it, then the handrail should be 600mm from the surface of the ramp.





TEL: 01424 714646

EMAIL: SALES@RAPIDRAMP.CO.UK

Hours:

Open 8am - 5pm, Monday to Friday

10 Menzies Road, Ponswood Industrial Estate, St Leonards on Sea, East Sussex TN38 9BB

Do you need temporary ramps & steps?

Contact our sales team